



Description :

PRO-TSF-206 Wall Mount Network Cabinet is ideal for areas that don't have enough equipment to require a full-size cabinet and protects computers, routers, modems and other devices in a space-saving. Network Cabinet adopt ventilated or removable panel design that allows generous airflow to keep equipment operating safely.

Configuration for standard racks are welded frame integrated with side panels and vented top cover with fan mounting provision, while front glass with lock & key provides the visibility & security, rear side of the Rack is provided with the wall mounting slots for your equipment. In Wall Network Cabinet are available from 4U to 15U Variants with 400mm, 450mm, 500mm and 600mm deep configuration.

Feature:

Network Cabinet Comply with DIN 41494 OR equivalent ISO Standards.

Home Network Cabinet Wall Mount adopts Welded frame, reliable structure.

Powder coated finish with pretreatment process meeting all industry standards.

Floor-standing or wall-mount easy installation.

Optional adjustable feet and heavy-duty castors.

Removable side panels, optional side locks.

Top and bottom Panel with ventilation and cable entry facility.

Provision to mount cooling fans on the top panel.

Fans, Ø 4.7" (120 mm); Airflow: 70/90 CFM; Noise level: 43/46 dB.

Turning angle of the front door is over 180°.

Intended for installation of 19" standard equipment.

Locks securely to help prevent damage, tampering or theft.

Grounding and Bonding Options. 100% assured compatibility with all equipment conforming to DIN 41494 (General industrial standard for equipment).

Product Details:

Rack Type	Network Cabinet	Style	Wall Mount
Color	Black / Grey	Dimensions (HxWxD)	12U; (635x600x450mm)
Factory Preset Rack Depth	17.0" (430 mm)	Weight Capacity - Stationary	198.4lbs (90kg)
Material	Mounting profile: 2.0mm SPCC cold rolled steel construction; Others: 1.2mm SPCC cold rolled steel construction.	Rack Height	4U / 6U / 9U / 12U / 15U or Customized
Mounting Rails	Square-Punched	Grounding Wire	Front and back door frames
Installation	Standard EIA 19" Rack Rails	Device Compatibility	Routers; Modems; Network Switch; UPS; Server.
Protection Level	IP20	Included Accessories	20 pieces each of 12-24 screws and washers

Application:

Data application / IT Equipment.

Perfect for Private / enterprise networks.

Ideal for switches, servers, patch panels, or copper cabling solutions.

Order Information:

Model No.	Capacity (U)	Width (mm)	Depth (mm)	Height (mm)	Whole Packing Volume (W*D*H)	Flat Packing Volume (CBM)
PRO-TSF-206A1	6	600	450	368	630*470*388	0.1211
PRO-TSF-206A2			600		630*630*388	0.1603
PRO-TSF-206B1	9	600	450	501	630*470*521	0.1998
PRO-TSF-206B2			600		630*630*521	0.2421
PRO-TSF-206C1	12	600	450	635	630*470*655	0.2812
PRO-TSF-206C2			600		630*630*655	0.3272
PRO-TSF-206D1	15	600	450	769	630*470*789	0.4052
PRO-TSF-206D2			600		630*630*789	0.4105
PRO-TSF-206E1	18	600	450	901	630*470*721	0.1588
PRO-TSF-206E2			600		630*630*721	0.2104
PRO-TSF-206F1	22	600	450	1082	630*470*1102	0.2661
PRO-TSF-206F2			600		630*630*1102	0.3691
PRO-TSF-206G1	27	600	450	1304	630*470*1385	0.4406
PRO-TSF-206G2			600		630*630*1385	0.5279